KCNH2 gene

potassium voltage-gated channel subfamily H member 2

Normal Function

The *KCNH2* gene belongs to a large family of genes that provide instructions for making potassium channels. These channels, which transport positively charged atoms (ions) of potassium out of cells, play key roles in a cell's ability to generate and transmit electrical signals.

The specific function of a potassium channel depends on its protein components and its location in the body. Channels made with the KCNH2 protein (also known as hERG1) are active in heart (cardiac) muscle. They are involved in recharging the cardiac muscle after each heartbeat to maintain a regular rhythm. The KCNH2 protein is also produced in nerve cells and certain immune cells (microglia) in the central nervous system.

The proteins produced from the *KCNH2* gene and another gene, *KCNE2*, interact to form a functional potassium channel. Four alpha subunits, each produced from the *KCNH2* gene, form the structure of each channel. One beta subunit, produced from the *KCNE2* gene, attaches (binds) to the channel and regulates its activity.

Health Conditions Related to Genetic Changes

Romano-Ward syndrome

Mutations in the *KCNH2* gene are a common cause of Romano-Ward syndrome, often called long QT syndrome. This condition causes the heart (cardiac) muscle to take longer than usual to recharge between beats, which can lead to an abnormal heart rhythm (arrhythmia).

More than 500 *KCNH2* gene mutations that cause Romano-Ward syndrome have been identified. Some of these mutations change a single protein building block (amino acid) in the KCNH2 protein, while other mutations delete several amino acids from the protein. These changes prevent the protein from assembling into functional ion channels or alter the channels' structure. As a result, the channels cannot properly regulate the flow of potassium ions in cardiac muscle cells. The reduced ion transport alters the transmission of electrical signals in the heart, increasing the risk of an irregular heartbeat that can cause fainting (syncope) or sudden death.

short QT syndrome

Mutations in the *KCNH2* gene can also cause a heart condition called short QT syndrome. In people with this condition, the cardiac muscle takes less time than

usual to recharge between beats. This change increases the risk of an abnormal heart rhythm that can cause syncope or sudden death.

At least two mutations in the *KCNH2* gene have been found to cause short QT syndrome in a small number of affected families. These mutations change single amino acids in the KCNH2 protein. The genetic changes alter the function of ion channels made with the KCNH2 protein, increasing the channels' activity. As a result, more potassium ions flow out of cardiac muscle cells at a critical time during the heartbeat, which can lead to an irregular heart rhythm.


other disorders

Certain drugs, including medications used to treat arrhythmias, infections, seizures, and psychotic disorders, can lead to an abnormal heart rhythm in some people. This drug-induced heart condition, which is known as acquired long QT syndrome, increases the risk of cardiac arrest and sudden death. A small percentage of cases of acquired long QT syndrome occur in people who have an underlying variation in the *KCNH2* gene.

Chromosomal Location

Cytogenetic Location: 7q36.1, which is the long (q) arm of chromosome 7 at position 36.1

Molecular Location: base pairs 150,944,956 to 150,978,314 on chromosome 7 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- Eag related protein 1
- ERG1
- Ether-a-go-go related gene potassium channel 1
- HERG
- HERG1

- human ether a-go-go-related gene
- KCNH2 HUMAN
- Kv11.1
- LQT2
- potassium channel, voltage gated eag related subfamily H, member 2
- potassium voltage-gated channel, subfamily H (eag-related), member 2

Additional Information & Resources

Educational Resources

- Biochemistry (fifth edition, 2002): Specific Channels Can Rapidly Transport Ions Across Membranes https://www.ncbi.nlm.nih.gov/books/NBK22509/
- Neuromuscular Disease Center, Washington University: KCNH family of potassium channels http://neuromuscular.wustl.edu/mother/chan.html#kcnh

GeneReviews

 Long QT Syndrome https://www.ncbi.nlm.nih.gov/books/NBK1129

Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28KCNH2%5BTI%5D%29+OR+%28hERG1%5BTI%5D%29%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D

OMIM

 POTASSIUM CHANNEL, VOLTAGE-GATED, SUBFAMILY H, MEMBER 2 http://omim.org/entry/152427

Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology http://atlasgeneticsoncology.org/Genes/GC_KCNH2.html
- ClinVar https://www.ncbi.nlm.nih.gov/clinvar?term=KCNH2%5Bgene%5D
- HGNC Gene Family: Potassium voltage-gated channels http://www.genenames.org/cgi-bin/genefamilies/set/274

- HGNC Gene Symbol Report http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/ hgnc_data.php&hgnc_id=6251
- NCBI Gene https://www.ncbi.nlm.nih.gov/gene/3757
- UniProt http://www.uniprot.org/uniprot/Q12809

Sources for This Summary

- Brugada R, Hong K, Dumaine R, Cordeiro J, Gaita F, Borggrefe M, Menendez TM, Brugada J, Pollevick GD, Wolpert C, Burashnikov E, Matsuo K, Wu YS, Guerchicoff A, Bianchi F, Giustetto C, Schimpf R, Brugada P, Antzelevitch C. Sudden death associated with short-QT syndrome linked to mutations in HERG. Circulation. 2004 Jan 6;109(1):30-5. Epub 2003 Dec 15.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/14676148
- Cordeiro JM, Brugada R, Wu YS, Hong K, Dumaine R. Modulation of I(Kr) inactivation by mutation N588K in KCNH2: a link to arrhythmogenesis in short QT syndrome. Cardiovasc Res. 2005 Aug 15; 67(3):498-509. Epub 2005 Mar 28.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/16039272
- GeneReview: Long QT Syndrome https://www.ncbi.nlm.nih.gov/books/NBK1129
- Hong K, Bjerregaard P, Gussak I, Brugada R. Short QT syndrome and atrial fibrillation caused by mutation in KCNH2. J Cardiovasc Electrophysiol. 2005 Apr;16(4):394-6.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/15828882
- Paulussen AD, Gilissen RA, Armstrong M, Doevendans PA, Verhasselt P, Smeets HJ, Schulze-Bahr E, Haverkamp W, Breithardt G, Cohen N, Aerssens J. Genetic variations of KCNQ1, KCNH2, SCN5A, KCNE1, and KCNE2 in drug-induced long QT syndrome patients. J Mol Med (Berl). 2004 Mar;82(3):182-8. Epub 2004 Feb 4.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/14760488
- Paulussen AD, Raes A, Jongbloed RJ, Gilissen RA, Wilde AA, Snyders DJ, Smeets HJ, Aerssens J. HERG mutation predicts short QT based on channel kinetics but causes long QT by heterotetrameric trafficking deficiency. Cardiovasc Res. 2005 Aug 15;67(3):467-75.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/15958262
- Sanguinetti MC. HERG1 channelopathies. Pflugers Arch. 2010 Jul;460(2):265-76. doi: 10.1007/s00424-009-0758-8. Epub 2009 Nov 22. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/20544339
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2886309/
- Schimpf R, Wolpert C, Gaita F, Giustetto C, Borggrefe M. Short QT syndrome. Cardiovasc Res. 2005 Aug 15;67(3):357-66. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/15890322

- Sun Y, Quan XQ, Fromme S, Cox RH, Zhang P, Zhang L, Guo D, Guo J, Patel C, Kowey PR, Yan GX. A novel mutation in the KCNH2 gene associated with short QT syndrome. J Mol Cell Cardiol. 2011 Mar;50(3):433-41. doi: 10.1016/j.yjmcc.2010.11.017. Epub 2010 Dec 3. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/21130771
- Thomas D, Kiehn J, Katus HA, Karle CA. Defective protein trafficking in hERG-associated hereditary long QT syndrome (LQT2): molecular mechanisms and restoration of intracellular protein processing. Cardiovasc Res. 2003 Nov 1;60(2):235-41. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/14613852

Reprinted from Genetics Home Reference: https://ghr.nlm.nih.gov/gene/KCNH2

Reviewed: June 2013 Published: March 21, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services